	Application No.	Applicant(s)
Notice of Allewshills	10/736,514	RASMUSSEN ET AL.
Notice of Allowability	Examiner	Art Unit
	L. G. Lauchman	2877
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>5/17/2005</u> .		
2. The allowed claim(s) is/are <u>1-6,8-10 and 14-17</u> .		
3. The drawings filed on 17 May 2005 are accepted by the Examiner.		
 4.		
Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E Nation of lafe and 1 B	stant Application (DTO 450)
1. Notice of References Cited (PTO-892)	* • • • • • • • • • • • • • • • • • • •	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6 🚺 Interview Summary Paper No./Mail Dat	Δ
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	 8.	ent of Reasons for Allowance

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Beckers on 8/19/2005.

The application has been amended as follows:

Claims 11-13 have been canceled.

Allowable Subject Matter

Claims 1-6, 8-10, 14-17 are allowed.

The following is an examiner's statement of reasons for allowance:

As to Claims 1, 10, 14, 15, and 16 the prior art of record taken along or in combination, fails to disclose or render obvious polarimeter having a plurality of optical components to measure intensity signals, the plurality of the optical components are configured in such way that a Poincare sphere is fully covered by the intensity signals and said distortion analyzer produces the feedback signal be calculating the intensity signals, in combination with the rest of the limitations of the claims, respectively.

As to Claim 17, the prior art of record taken along or in combination, fails to disclose or render obvious the polarimeter including a plurality of optical components forming four

Application/Control Number: 10/736,514

Art Unit: 2877

analyzers to produce four intensity signals, and the optical components are arranged that equivalent analyzer polarizations of the four analyzers form a structure like atoms in a diamond on a Poincare sphere, in combination with the rest of the limitations of the claim.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to L. G. Lauchman whose telephone number is (571) 272-2418.

The examiner's normal work schedule is 8:00am to 4:30pm (EST), Monday through Friday. If attempts to reach examiner by the telephone are unsuccessful, the examiner's supervisor Gregory J. Toatley, Jr. can be reached on (571) 272-2059, ext. 77.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 2877

t

Any inquiry of a general nature or relating to the status of this application should be directed to the TC receptionist whose telephone number is (571) 272-1562.

L. G. Lauchman Primary Examiner Art Unit 2877

August 19, 2005